



Manufacturer Of  
LED Operating Light & Tables

# Vega Series



VEGA Series - To meet the needs posted by modern surgery and each of its disciplines, we have developed innovative solution "VEGA" Series. The homogeneous nature of Vega light increase surgeon comfort in every place, large the operative field.



- VEGA-6
- LED'S-88
- INTENSITY- 170000 LUX



- VEGA-3
- LED'S-57
- INTENSITY- 125000 LUX



- WIRELESS HD CAMERA (OPTIONAL)



- MONITOR ON THIRD ARM (OPTIONAL)

## Unique Features Of Medinain LED's

### Proximity Sensor



### Touch Free Intensity Control

MEDINAIN Provides you some latest & high technology services with our LEDs. We provide Proximity sensor in our Vega series. Proximity sensor is able to detect the nearby hand without any physical touch. During the surgery procedures, proximity sensor is very useful to surgeons. It is so easy to use, that even the untrained staff can also use this. In this feature, one can increase & decrease the intensity/colour temp. by their hand movements only. Not important to touch the remote or control panel.

### Wireless Wall Control Panel



MEDINAIN LED's have wall control system also. The special thing about this control panel is that, this panel is completely wireless. You can fix this control panel on OT wall. This system is able to work up to the distance of 100 mtr. All the features of OT light can be control by this panel.

### Aluminium Enclosure



MEDINAIN LED's are made of an aluminium alloy, with outstanding heat dissipation capacity, which extends the LED elements working life and illuminating efficiency. Aluminium is a powerful & efficient heat absorber.

# Mobile Operation Theater Light Vega 6Mmodel



**VEGA Series** - To meet the needs posted by modern surgery and each of its disciplines, we have developed innovative solution “VEGA” Series. The homogeneous nature of Vega light increases surgeon comfort in every place, large the operative field.

## TECHNICAL DATA

Intensity	1,70,000 Lux
Spot Diameter	100-150 mm
Depth Diameter	10 -25 cm
Color Temp.	3800 – 4800 K
Colour Rendering Index	93 Ra
Focusing	Manual
LED Average life	>50000 Hrs.
Numbers of LED's	88
Diameter of Light	690 mm
Intensity Control	10~100 Digital Touch
Power Supply	220V/50Hz AC
Power Consumption	65 Watt
Special Function	Dual Memory Function



## Contact

Address : J-81, Sec-4, DSIIDC Indl. Area, Bawana, New Delhi 110039.  
Call Us : +91-11-27762484  
Call Us +24x7@ : +91-9868165949, +91+9210333574,  
+91-9811165949, +91-9811225949  
Email : [sbnain@yahoo.com](mailto:sbnain@yahoo.com)  
Web : [www.medinain.com](http://www.medinain.com)



Note: Due to continuous development and upgradation of the product, we reserve the right to make changes on product design, colour & specifications without prior notice

Dealer / Distributor



**07704564216**